=> d his

(FILE 'HOME' ENTERED AT 14:11:12 ON 10 SEP 2002)

| | FILE | 'REGIS | STI | RY' | ENT | ERED | ΑT | 14:1 | 1:28 | ON | 10 | SEP | 2002 | 2 | | |
|----|------|--------|-----|-----|------|--|------|------|-------|-----|------|--------|------|------|-------|------|
| L1 | | 62404 | S | [C | ESTK | [IL | VAXG | [KF | RGX][| STX | CEDI | () [KI | RGX] | [KRG | k]/sç | QS P |
| L2 | | 1182 | S | L1 | AND | 7 <s< td=""><td>QL<1</td><td>.7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></s<> | QL<1 | .7 | | | | | | | | |
| L3 | | 73 | S | L2 | AND | CYC | L?/N | TE | | | | | | | | |
| L4 | | 3 | S | L3 | AND | ABU | /NTE | } | | | | | | | | |
| L5 | | 73 | S | L3 | | | | • | | | | | | | | |

5981478

CFR & TANNAC

L5 ANSWER 68 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 81471-80-9 REGISTRY

CN Cyclo(L-cysteinylglycylglycyl-L-cysteinylglycylglycyl-L-cysteinylglycylglycyl) (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1,4,7,10,13,16,19,22,25-Nonaazacycloheptacosane, cyclic peptide deriv.

CN Cyclic(L-cysteinylglycylglycyl-L-cysteinylglycylglycyl-L-cysteinylglycylglycyl)

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 9

NTE cyclic

SEQ 1 CGGCGGCGG

========

HITS AT: 1-6, 1-9

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C21 H33 N9 O9 S3

LC STN Files: CA, CAPLUS

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

ANSWER 58 OF 73 REGISTRY COPYRIGHT 2002 ACS L5

136803-05-9 REGISTRY RN

Cyclo(alycylqlycyl-L-lysylqlycylqlycyl-L-lysylglycylglycyl-L-lysyl) (9CI) CN (CA INDEX NAME)

OTHER CA INDEX NAMES:

1,4,7,10,13,16,19,22,25-Nonaazacycloheptacosane, cyclic peptide deriv. CN

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL

NTE cyclic

1 GGKGGKGGK SEQ

=======

1-8, 3-9 HITS AT:

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C30 H54 N12 O9

SR CA

STN Files: CA, CAPLUS LC

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

ANSWER 59 OF 73 REGISTRY COPYRIGHT 2002 ACS 136803-03-7 REGISTRY L5

RN

Cyclo[glycylglycyl-L-lysylglycylglycyl-L-lysylglycylglycyl-N6-[[3,5-CN

bis(carboxymethyl)phenyl]acetyl]-L-lysyl], cyclic

(9.fwdarw.3), (9.fwdarw.6)-bis(peptide) (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

6,16,22,25,28,31,34,37,39,42,45,51-Dodecaazatetracyclo[19.17.8.711,30.19,1 CN

L5 ANSWER 5 OF 73 REGISTRY COPYRIGHT 2002 ACS RN 334830-76-1 REGISTRY

CN Pseudomycin C, 1-[N-(1-oxohexadecyl)-L-serine]- (9CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 9

NTE cyclic

modified (modifications unspecified)

| type | location | | | description |
|--|----------------------------------|-------------|-------------|-------------|
| uncommon uncommon uncommon uncommon | Abu-1 Und-4 Dab-5 Dab-8 | - - - | - - - | |

SEQ 1 XDTXXDKXT

=====

HITS AT: 3-8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C53 H91 Cl N12 O18

SR CA

LC STN Files: CA, CAPLUS

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L5 ANSWER 6 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 334830-75-0 REGISTRY

CN Pseudomycin C', 1-[N-(3-hydroxy-1-oxohexadecyl)-L-serine]- (9CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 9

NTE cyclic

modified (modifications unspecified)

| type | location | | description |
|----------|----------|---|-------------|
| uncommon | Abu-1 | - | - |
| uncommon | Und-4 | | - |

uncommon Dab-5 uncommon Dab-8 -

SEQ 1 XDTXXDKXT ======

HITS AT: 3-8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C53 H91 C1 N12 O19

SR CA

LC STN Files: CA, CAPLUS

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L5 ANSWER 7 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 334830-74-9 REGISTRY

CN Pseudomycin C', 1-[N-[(3S)-3-hydroxy-1-oxohexadecyl]-L-serine]- (9CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 9

NTE cyclic

modified (modifications unspecified)

L5 ANSWER 72 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 3953-49-9 REGISTRY

CN 1,4,7,10,13,16,19,22,25,28,31,34-Dodecaazacyclohexatriacontane-2,20-dipropionic acid, 11,29-bis(4-aminobutyl)-3,6,9,12,15,18,21,24,27,30,33,36-dodecaoxo-(7CI, 8CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE

SQL 12 NTE cyclic

SEQ 1 EGGKGGEGGK GG

_____ ==

HITS AT: 1-9, 1-12

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C38 H62 N14 O16 LC STN Files: CAOLD

PAGE 1-A

$$H_2N-(CH_2)$$
 4 $H_2N-(CH_2)$ 6 $H_2N-(CH_2)$ 6 $H_2N-(CH_2)$ 6 $H_2N-(CH_2)$ 6 $H_2N-(CH_2)$ 7 $H_2N-(CH_2)$ 8 $H_2N-(CH_2)$ 9 $H_2N-(CH_2)$

PAGE 1-B

— NH₂

1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L5 ANSWER 73 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 3556-59-0 REGISTRY

CN 1,4,7,10,13,16,19,22,25,28,31,34-Dodecaazacyclohexatriacontane-2,20 dipropionic acid, 3,6,9,12,15,18,21,24,27,30,33,36-dodecaoxo-11,29-bis[4 (2,2,2-trifluoroacetamido)butyl]-, dimethyl ester (7CI, 8CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE

SQL 12

NTE cyclic

modified (modifications unspecified)

type

----- location -----

description

| modification | Glu-1 | _ | methyl <me></me> |
|--------------|--------|---|-----------------------------|
| modification | Lys-4 | - | trifluoroacetyl <tfa></tfa> |
| modification | Glu−7 | _ | methyl <me></me> |
| modification | Lys-10 | - | trifluoroacetyl <tfa></tfa> |
| | | | |

SEQ 1 EGGKGGEGGK GG

HITS AT: 1-9, 1-12

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C44 H64 F6 N14 O18 LC STN Files: CAOLD

PAGE 1-A

PAGE 1-B

```
ANSWER 9 OF 73 REGISTRY COPYRIGHT 2002 ACS
     329077-15-8 REGISTRY
RN
     Cyclo(L-arginyl-L-lysyl-L-lysyl-L-lysyl-L-tryptophyl-D-prolyl-L-prolyl-L-
CN
     tryptophyl-L-lysyl-L-valyl) (9CI) (CA INDEX NAME)
     PROTEIN SEQUENCE; STEREOSEARCH
FS
SQL
    10
NTE
    cyclic
         1 RKKKWPPWKV
SEQ
           ==== ==
           1-4, 9-10
HITS AT:
     C67 H103 N19 O10
MF
SR
     CA
LC
     STN Files:
                CA, CAPLUS
               2 REFERENCES IN FILE CA (1967 TO DATE)
               2 REFERENCES IN FILE CAPLUS (1967 TO DATE)
     ANSWER 10 OF 73 REGISTRY COPYRIGHT 2002 ACS
L5
     329077-09-0 REGISTRY
RN
     Cyclo(L-arginyl-L-lysyl-L-lysyl-L-tyrosyl-D-prolyl-L-prolyl-L-
CN
     tyrosyl-L-lysyl-L-valyl) (9CI) (CA INDEX NAME)
FS
     PROTEIN SEQUENCE; STEREOSEARCH
SQL
    10
NTE
     cyclic
SEQ
         1 RKKKYPPYKV
          ====
                  ==
HITS AT:
           1-4, 9-10
     C63 H101 N17 O12
MF
SR
LC
     STN Files:
                  CA, CAPLUS
               2 REFERENCES IN FILE CA (1967 TO DATE)
               2 REFERENCES IN FILE CAPLUS (1967 TO DATE)
L5
     ANSWER 11 OF 73 REGISTRY COPYRIGHT 2002 ACS
RN
     329077-03-4 REGISTRY
CN
     Cyclo(L-arginyl-L-lysyl-L-lysyl-L-isoleucyl-D-prolyl-L-prolyl-L-
     .alpha.-glutamyl-L-lysyl-L-valyl) (9CI) (CA INDEX NAME)
     PROTEIN SEQUENCE; STEREOSEARCH
FS
SQL
    10
NTE
    cyclic
SEQ
         1 RKKKIPPEKV
          .====
HITS AT:
           1-4, 9-10
     C56 H101 N17 O12
MF
SR
     CA
LC
     STN Files:
                  CA, CAPLUS
               2 REFERENCES IN FILE CA (1967 TO DATE)
               2 REFERENCES IN FILE CAPLUS (1967 TO DATE)
L5
     ANSWER 12 OF 73 REGISTRY COPYRIGHT 2002 ACS
RN
     205599-42-4 REGISTRY
     L-Leucinamide, L-.alpha.-aspartyl-L-alanyl-L-alanyl-L-threonyl-L-alanyl-L-
CN
     leucyl-L-alanyl-L-asparaginyl-L-alanyl-L-leucyl-L-lysyl-L-lysyl-N-(2-
     mercaptoethyl)-, (13.fwdarw.2''''),(13'.fwdarw.4''''),(13''.fwdarw.6''''),
     (13'''.fwdarw.8'''')-tetrakis(thioether) with cyclo[3-aminobenzoyl-N6-
     (mercaptoacetyl)-L-lysyl-3-aminobenzoyl-N6-(mercaptoacetyl)
```

REFERENCE 2 96:163166 CA AN Peptides containing .beta.-turns. I. Cyclo-(Gly-L-Cys-Gly)3 triply ΤI bridged by 1,3,5-tris-(thiomethyl)benzene ΑU Kemp, D. S.; McNamara, Paul Dep. Chem., Massachusetts Inst. Technol., Cambridge, MA, 02139, USA CS Tetrahedron Lett. (1981), 22(46), 4571-4 SO CODEN: TELEAY; ISSN: 0040-4039 DΤ Journal LΑ English L5 ANSWER 70 OF 73 REGISTRY COPYRIGHT 2002 ACS SOL 9 NTE cyclic modified (modifications unspecified) SEQ 1 CGGCGGCGG _____ 1-6, 1-9 HITS AT: **RELATED SEQUENCES AVAILABLE WITH SEQLINK** REFERENCE 1 106:50619 CA ΑN ΤI Raman spectroscopic studies of beta-turn-containing cyclic peptides ΑU Seaton, B. A. CS Dep. Chem., MIT, Cambridge, MA, 02139, USA Spectrochim. Acta, Part A (1986), 42A(2-3), 227-32 SO CODEN: SAMCAS; ISSN: 0584-8539 Journal DTEnglish LA REFERENCE 2 AN 104:34332 CA Conformationally restricted cyclic nonapeptides derived from L-cysteine TI and LL-3-amino-2-piperidone-6-carboxylic acid (LL-Acp), a potent .beta.-turn-inducing dipeptide analog ΑU Kemp, D. S.; McNamara, Paul E. Dep. Chem., Massachusetts Inst. Technol., Cambridge, MA, 02139, USA CS J. Org. Chem. (1985), 50(26), 5834-8 SO CODEN: JOCEAH; ISSN: 0022-3263 DΤ Journal English LΑ REFERENCE 3 ΑN 96:163166 CA Peptides containing .beta.-turns. I. Cyclo-(Gly-L-Cys-Gly)3 triply TI bridged by 1,3,5-tris-(thiomethyl)benzene ΑU Kemp, D. S.; McNamara, Paul CS Dep. Chem., Massachusetts Inst. Technol., Cambridge, MA, 02139, USA SO Tetrahedron Lett. (1981), 22(46), 4571-4

CODEN: TELEAY; ISSN: 0040-4039

ANSWER 71 OF 73 REGISTRY COPYRIGHT 2002 ACS

DT

LΑ

L5

SQL 10 NTE cve

Journal English

cyclic

modified

SEQ 1 XXTXXTXXTL

=====

HITS AT: 3-8

REFERENCE 1

AN 72:79460 CA

TI Chemistry of polymyxin M. XV. Synthesis of analogs. Preparation of cyclic peptides containing L-.alpha.,.gamma.-diaminobutyric acid

AU Salem, Ezzel'din M. S.; Fedoseeva, N. V.; Silaev, A. B.

CS Mosk. Gos. Univ. im. Lomonosova, Moscow, USSR

SO Zh. Obshch. Khim. (1969), 39(11), 2541-5 CODEN: ZOKHA4

DT Journal

LA Russian

L5 ANSWER 72 OF 73 REGISTRY COPYRIGHT 2002 ACS

SQL 12

NTE cyclic

HITS AT: 1-9, 1-12

RELATED SEQUENCES AVAILABLE WITH SEQLINK

L5 ANSWER 73 OF 73 REGISTRY COPYRIGHT 2002 ACS

SQL 12

NTE cyclic

modified (modifications unspecified)

SEQ 1 EGGKGGEGGK GG

HITS AT: 1-9, 1-12

RELATED SEQUENCES AVAILABLE WITH SEQLINK

```
YOU HAVE REQUESTED DATA FROM 14 ANSWERS - CONTINUE? Y/(N):y7
YOU HAVE REQUESTED DATA FROM 14 ANSWERS - CONTINUE? Y/(N):y
L5
     ANSWER 60 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL
    40,8,8,8,8,8
NTE multichain
     linear, linear, linear, linear, cyclic
     modified (modifications unspecified)
SEQ
         1 KXLXKXLX
SEQ
         1 KXLXKXLX
SEQ
         1 KXLXKXLX
SEQ
         1 KXLXKXLX
SEQ
         1 KXKXKXKX
           ======
HITS AT:
           1-6, 1-8
REFERENCE 1
AN
     117:172031 CA
ΤI
     Bifunctional peptides composed of helical segment and sugar, crown ether,
     or cyclic peptide, and the function regulation
ΑU
     Kimura, Shunsaku; Imanishi, Yukio
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
SO
     Pept.: Chem. Biol., Proc. Am. Pept. Symp., 12th (1992), Meeting Date
     1991, 371-2. Editor(s): Smith, John A.; Rivier, Jean E. Publisher: ESCOM,
     Leiden, Neth.
     CODEN: 57XGA9
DT
     Conference
LA
     English
REFERENCE 2
AN
     115:108774 CA
TI
     Allosteric regulation by calcium dication of hydrophobic pocket
     constituted by using cyclic peptide as template
     Kimura, Shunsaku; Imanishi, Yukio
ΑU
CS
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
SO
     Pept. Chem. (1991), 28th, 183-6
     CODEN: PECHDP; ISSN: 0388-3698
DΤ
     Journal
     English
LA
L5
    ANSWER 61 OF 73 REGISTRY COPYRIGHT 2002 ACS
SOL 9
NTE cyclic
    modified (modifications unspecified)
SEQ
         1 GGKGGKGGK
           ========
HITS AT:
           1-8, 3-9
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
```

=> d bib, hit 60-

REFERENCE 1

```
114:7207 CA
ΑN
ΤI
     Gly/Lys-containing peptide macrocycles: synthesis and cyclization studies
     Crusi, E.; Huerta, J. M.; Andreu, D.; Giralt, E.
ΑU
     Dep. Org. Chem., Univ. Barcelona, Barcelona, E-08028, Spain
CS
     Tetrahedron Lett. (1990), 31(29), 4191-4
SO
     CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
LΑ
     English
L5
     ANSWER 62 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL
NTE
    cyclic
     modified (modifications unspecified)
SEQ
         1 GKXKGKXK
           =======
HITS AT:
           1-5, 4-8
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
     124:261663 CA
AN
     Pseudo-prolines (.psi.Pro) for accessing inaccessible peptides
ΤI
ΑU
     Mutter, M.; Nefzi, A.; Sato, T.; Sun, X.; Wahl, F.; Wuhr, T.
CS
     Institute of Organic Chemistry, University of Lausanne, Lausanne, Switz.
     Peptide Research (1995), 8(3), 145-53
     CODEN: PEREEO; ISSN: 1040-5704
PB
     Eaton
DT
     Journal
LΑ
     English
REFERENCE 2
AN
     120:107688 CA
     Template-assembled synthetic proteins (TASP). Cyclic templates with
     incorporated turn-inducing mimics
AU
     Ernest, Ivan; Kalvoda, Jaroslav; Sigel, Christoph; Rihs, Grety; Fritz,
     Hans; Blommers, Marcel J. J.; Raschdorf, Fritz; Francotte, Eric; Mutter,
     Manfred
CS
     Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.
     Helv. Chim. Acta (1993), 76(4), 1539-63
SO
     CODEN: HCACAV; ISSN: 0018-019X
DT
     Journal
LΑ
     English
REFERENCE 3
ΑN
     113:232022 CA
ΤI
     Synthesis of a 4-helix bundle-like template-assembled synthetic protein
     (TASP) by condensation of a protected peptide on a conformationally
     constrained cyclic carrier
ΑU
     Ernest, I.; Vuilleumier, S.; Fritz, H.; Mutter, M.
     Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.
     Tetrahedron Lett. (1990), 31(28), 4015-18
     CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
     English
LΑ
L5
     ANSWER 63 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL 8
NTE cyclic
```

```
SEQ
         1 GKXKGKXK
           ======
           1-5, 4-8
HITS AT:
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
ΑN
     122:188153 CA
     Chemoselective ligation of multifunctional peptides to topological
ΤI
     templates via thioether formation for TASP synthesis
     Nefzi, Adel; Sun, Xicheng; Mutter, Manfred
ΑU
     Inst. Org. Chem., Univ. Lausanne, Lausanne, CH-1015, Switz.
CS
     Tetrahedron Letters (1995), 36(2), 229-30
SO
     CODEN: TELEAY; ISSN: 0040-4039
     Elsevier
PB
DT
     Journal
LA
     English
REFERENCE 2
AN
     113:232022 CA
     Synthesis of a 4-helix bundle-like template-assembled synthetic protein
ΤI
     (TASP) by condensation of a protected peptide on a conformationally
     constrained cyclic carrier
ΑU
     Ernest, I.; Vuilleumier, S.; Fritz, H.; Mutter, M.
CS
     Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.
SO
     Tetrahedron Lett. (1990), 31(28), 4015-18
     CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
     English
LА
    ANSWER 64 OF 73 REGISTRY COPYRIGHT 2002 ACS
L5
SQL 64,14,14,14,14,8
NTE multichain
     linear, linear, linear, cyclic
     modified (modifications unspecified)
SEQ
         1 DAXTAAXNAX KKLG
         1 DAXTAAXNAX KKLG
SEQ
SEQ
         1 DAXTAAXNAX KKLG
SEQ
         1 DAXTAAXNAX KKLG
SEQ
         1 GKXKGKXK
           =======
HITS AT:
           1-5, 4-8
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
ΑN
     113:232022 CA
     Synthesis of a 4-helix bundle-like template-assembled synthetic protein
TT
     (TASP) by condensation of a protected peptide on a conformationally
     constrained cyclic carrier
```

Ernest, I.; Vuilleumier, S.; Fritz, H.; Mutter, M. Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.

Tetrahedron Lett. (1990), 31(28), 4015-18

AU CS SO

```
CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
LΑ
     English
     ANSWER 65 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL 64,14,14,14,14,8
NTE multichain
     linear, linear, linear, linear, cyclic
     modified
SEQ
         1 DAXTAAXNAX KKLG
SEQ
         1 DAXTAAXNAX KKLG
SEQ
         1 DAXTAAXNAX KKLG
SEQ
         1 DAXTAAXNAX KKLG
         1 GKXKGKXK
SEQ
           =======
HITS AT:
           1-5, 4-8
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
AN
     119:23044 CA
TΙ
     Synthetic peptide and template-assembled synthetic protein models of the
     hen egg white lysozyme 87-97 helix: importance of a protein-like framework
     for conformational stability in a short peptide sequence
     Vuilleumier, Stephane; Mutter, Manfred
ΑU
     Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.
CS
SO
     Biopolymers (1993), 33(3), 389-400
     CODEN: BIPMAA; ISSN: 0006-3525
DT
     Journal
LA
     English
REFERENCE 2
     113:232022 CA
ΑN
ΤI
     Synthesis of a 4-helix bundle-like template-assembled synthetic protein
     (TASP) by condensation of a protected peptide on a conformationally
     constrained cyclic carrier
ΑU
     Ernest, I.; Vuilleumier, S.; Fritz, H.; Mutter, M.
     Inst. Org. Chem., Univ. Basel, Basel, CH-4056, Switz.
CS
     Tetrahedron Lett. (1990), 31(28), 4015-18
SO
     CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
LА
     English
L5
     ANSWER 66 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL
NTE
     modified (modifications unspecified)
SEQ
         1 KXKXKXKX
           -----
HITS AT:
           1-6, 1-8
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
```

REFERENCE 1

```
AN
     111:111294 CA
     Calcium transport through lipid membrane by diastereomer cyclic
TI
     octapeptides
     Kimura, Shunsaku; Ozeki, Eiichi; Imanishi, Yukio
ΑU
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
     Biopolymers (1989), 28(7), 1247-57
SO
     CODEN: BIPMAA; ISSN: 0006-3525
DT
     Journal
LА
     English
REFERENCE 2
     109:124493 CA
AN
     Calcium transport through lipid membranes by cyclic octapeptides
ΤI
     Kimura, Shunsaku; Imanishi, Yukio
ΑU
CS
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
     Pept. Chem. (1988), Volume Date 1987 721-4
SO
     CODEN: PECHDP; ISSN: 0388-3698
DΤ
     Journal
LΑ
     English
L5
     ANSWER 67 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL
NTE
    cyclic
     modified (modifications unspecified)
SEQ
         1 KXKXKXKX
           =======
           1-6, 1-8
HITS AT:
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
AN
     115:108774 CA
     Allosteric regulation by calcium dication of hydrophobic pocket
TI
     constituted by using cyclic peptide as template
     Kimura, Shunsaku; Imanishi, Yukio
ΑU
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
     Pept. Chem. (1991), 28th, 183-6
SO
     CODEN: PECHDP; ISSN: 0388-3698
     Journal
DT
LΑ
     English
REFERENCE 2
     111:111294 CA
AN
     Calcium transport through lipid membrane by diastereomer cyclic
TI
     octapeptides
AU
     Kimura, Shunsaku; Ozeki, Eiichi; Imanishi, Yukio
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
SO
     Biopolymers (1989), 28(7), 1247-57
     CODEN: BIPMAA; ISSN: 0006-3525
DT
     Journal
LA
     English
REFERENCE 3
AN
     109:124493 CA
     Calcium transport through lipid membranes by cyclic octapeptides
TI
     Kimura, Shunsaku; Imanishi, Yukio
ΑU
```

```
Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
     Pept. Chem. (1988), Volume Date 1987 721-4
SO
     CODEN: PECHDP; ISSN: 0388-3698
DΤ
     Journal
     English
LΑ
REFERENCE 4
AN
     105:129517 CA
ΤI
     Calcium ion transport through lipid membrane by cyclic octapeptide
     cyclo[-Lys(Z)-Sar-Leu-Sar-Leu-Sar-Leu-Sar-]
     Kimura, Shunsaku; Imanishi, Yukio
ΑU
     Dep. Polym. Chem., Kyoto Univ., Kyoto, 606, Japan
CS
     Pept. Chem. (1986), Volume Date 1985, 23rd, 273-6
     CODEN: PECHDP; ISSN: 0388-3698
DT
     Journal
LΑ
     English
L5
     ANSWER 68 OF 73 REGISTRY COPYRIGHT 2002 ACS
SQL 9
NTE
    cyclic
SEQ
         1 CGGCGGCGG
           _____
           1-6, 1-9
HITS AT:
**RELATED SEQUENCES AVAILABLE WITH SEQLINK**
REFERENCE 1
     96:163166 CA
ΑN
     Peptides containing .beta.-turns. I. Cyclo-(Gly-L-Cys-Gly)3 triply
TI
     bridged by 1,3,5-tris-(thiomethyl)benzene
ΑU
     Kemp, D. S.; McNamara, Paul
CS
     Dep. Chem., Massachusetts Inst. Technol., Cambridge, MA, 02139, USA
     Tetrahedron Lett. (1981), 22(46), 4571-4
SO
     CODEN: TELEAY; ISSN: 0040-4039
DT
     Journal
LΑ
     English
     ANSWER 69 OF 73 REGISTRY COPYRIGHT 2002 ACS
L5
SQL
NTE
    cyclic
     modified (modifications unspecified)
SEQ
         1 CGCGGCGG
HITS AT:
           3-8
REFERENCE 1
AN
     104:34332 CA
     Conformationally restricted cyclic nonapeptides derived from L-cysteine
     and LL-3-amino-2-piperidone-6-carboxylic acid (LL-Acp), a potent
     .beta.-turn-inducing dipeptide analog
     Kemp, D. S.; McNamara, Paul E.
ΑU
     Dep. Chem., Massachusetts Inst. Technol., Cambridge, MA, 02139, USA
CS
SO
     J. Org. Chem. (1985), 50(26), 5834-8
     CODEN: JOCEAH; ISSN: 0022-3263
DT
     Journal
     English
LΑ
```

L5 ANSWER 68 OF 73 REGISTRY COPYRIGHT 2002 ACS

RN 81471-80-9 REGISTRY

CN Cyclo(L-cysteinylglycylglycyl-L-cysteinylglycylglycyl-L-cysteinylglycylglycyl) (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1,4,7,10,13,16,19,22,25-Nonaazacycloheptacosane, cyclic peptide deriv.

CN Cyclic(L-cysteinylglycylglycyl-L-cysteinylglycylglycyl-L-cysteinylglycylglycyl)

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 9

NTE cyclic

SEQ 1 CGGCGGCGG

HITS AT: 1-6, 1-9

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C21 H33 N9 O9 S3

LC STN Files: CA, CAPLUS

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1967 TO DATE).

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

ANSWER 72 OF 73 REGISTRY COPYRIGHT 2002 ACS L5

RN3953-49-9 REGISTRY

CN1,4,7,10,13,16,19,22,25,28,31,34-Dodecaazacyclohexatriacontane-2,20dipropionic acid, 11,29-bis(4-aminobuty1)-3,6,9,12,15,18,21,24,27,30,33,36-dodecaoxo-(7CI, 8CI) (CA INDEX NAME)

PROTEIN SEQUENCE FS

SQL 12

NTE cyclic

SEQ

HITS AT:

1-9, 1-12

RELATED SEQUENCES AVAILABLE WITH SEQLINK

C38 H62 N14 O16 STN Files: LC CAOLD

PAGE 1-A

PAGE 1-B

```
L5
     ANSWER 2 OF 3 CAPLUS COPYRIGHT 2003 ACS on STN
     1959:13432 CAPLUS
AN
     53:13432
DN
OREF 53:2531e-q
     Fermentation. IV. Syntheses of fermenting models and of cyclic
ΤI
     peptide-disulfides as inclusion regions
     Lautsch, W.; Wiemer, B.; Zschenderlein, P.; Kraege, H. J.; Bandel, W.;
ΑU
     Gunther, D.; Schulz, G.; Gnichtel, H.
CS
     Freie Univ. Berlin-Dahlem
SO
     Kolloid-Zeitschrift (1958), 161, 36-49
     CODEN: KOZEA7; ISSN: 0368-6590
DT
     Journal
LΑ
     Unavailable
     109642-59-3, 1,2-Dithia-5,8,11,14,17,20,23-heptaazacyclohexacosane-
ΙT
     4-carboxylic acid, 25-amino-6,9,12,15,18,21,24-heptaoxo-
        (formation of, oxidase models and)
     109642-59-3 CAPLUS
RN
     1,2-Dithia-5,8,11,14,17,20,23-heptaazacyclohexacosane-4-carboxylic acid,
CN.
```

25-amino-6,9,12,15,18,21,24-heptaoxo- (6CI) (CA INDEX NAME)

Absolute stereochemistry.

```
ANSWER 3 OF 3 CAPLUS COPYRIGHT 2003 ACS on STN
L5
     1957:81087 CAPLUS
ΑN
     51:81087
DN
OREF 51:14556f-i,14557a-b
    Macromolecular substances derived from inclusion compounds
TI
     Lautsch, W.; Wiechert, R.; Gnichtel, H.; Schuchardt, G.; Kraege, H. J.;
ΑU
     Singewald, Ch.; Broser, W.; Becker, H.; Rauhut, H.; Grimm, W.
SO
     Osterr. Chemiker-Zgt. (1957), 58, 33-9
DΤ
     Journal
LΑ
    Unavailable
     109642-59-3, 1,2-Dithia-5,8,11,14,17,20,23-heptaazacyclohexacosane-
TΤ
     4-carboxylic acid, 25-amino-6,9,12,15,18,21,24-heptaoxo-
        (prepn. of)
     109642-59-3 CAPLUS
RN
     1,2-Dithia-5,8,11,14,17,20,23-heptaazacyclohexacosane-4-carboxylic acid,
CN
     25-amino-6,9,12,15,18,21,24-heptaoxo- (6CI) (CA INDEX NAME)
```

Absolute stereochemistry.

ANSWER 2 OF 2 REGISTRY COPYRIGHT 2003 ACS on STN L6

109642-59-3 REGISTRY RN

CN 1,2-Dithia-5,8,11,14,17,20,23-heptaazacyclohexacosane-4-carboxylic acid, 25-amino-6,9,12,15,18,21,24-heptaoxo- (6CI) (CA INDEX NAME)

PROTEIN SEQUENCE; STEREOSEARCH FS

SQL

NTE ______

----- location ----description

Cys-1 - Cys-8 disulfide bridge

SEQ

1 CGGGGGGC

=======

HITS AT:

1-8

RELATED SEQUENCES AVAILABLE WITH SEQLINK

MF C18 H28 N8 O9 S2

SR CAOLD

LC

STN Files: CA, CAOLD, CAPLUS

Absolute stereochemistry.

- 3 REFERENCES IN FILE CA (1937 TO DATE)
- 3 REFERENCES IN FILE CAPLUS (1937 TO DATE)
- 3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=>